

**Manufacturer Disclosure Statement for Medical Device Security -- MDS2**

Canon Medical Informatics Incorporated Vitrea Connection 9.2 2023.08.002 July 11, 2024

Question ID	Question	See note	IEC TR 80001-2-2:2012	NIST SP 800-53 Rev. 4	ISO 27002:2013
DOC-1	Manufacturer Name	Canon Medical Informatics Incorporated — Vitrea Connection is a secure, patient-centric platform based on open standards (HL7, DICOM, IHE XDS, and MINT) which provides cross-enterprise sharing of clinical images and documents and enables seamless integration between healthcare systems.			
DOC-2	Device Description	—			
DOC-3	Device Model	—			
DOC-4	Document ID	—			
DOC-5	Manufacturer Contact Information	—			
DOC-6	Intended use of device in network-connected environment:	—			
DOC-7	Document Release Date	—			
DOC-8	Coordinated Vulnerability Disclosure: Does the manufacturer have a vulnerability disclosure program for this device?	—			
DOC-9	ISAO: Is the manufacturer part of an Information Sharing and Analysis Organization?	—			
DOC-10	Diagram: Is a network or data flow diagram available that indicates connections to other system components or expected external resources?	—			
DOC-11	SaMD: Is the device Software as a Medical Device (i.e. software-only, no hardware)?	—			
DOC-11.1	Does the SaMD contain an operating system?	—			
DOC-11.2	Does the SaMD rely on an owner/operator provided operating system?	—			
DOC-11.2	Is the SaMD hosted by the manufacturer?	—			
DOC-11.3		—			
DOC-11.4	Is the SaMD hosted by the customer?	—			

Canon Medical Informatics Incorporated  
—  
Vitrea Connection is a secure, patient-centric platform based on open standards (HL7, DICOM, IHE XDS, and MINT) which provides cross-enterprise sharing of clinical images and documents and enables seamless integration between healthcare systems.  
—  
Vitrea Connection 9.2  
—  
2023.08.002  
—  
Jason Novecosky, Director of Engineering, 19 Regina St North, Waterloo, Ontario, N2J 2Z9 Canada +1-226-798-5780  
—  
Storage and distribution of medical images and associated medical record data  
—  
July 11, 2024  
—  
Yes  
—  
Yes  
—  
Yes  
—  
Yes  
—  
Yes  
—  
No  
—  
No  
—  
Yes  
—

Yes, No, N/A, or See Note  
Note #

**MANAGEMENT OF PERSONALLY IDENTIFIABLE INFORMATION**

Question ID	Question	See note	IEC TR 80001-2-2:2012	NIST SP 800-53 Rev. 4	ISO 27002:2013
MPII-1	Can this device display, transmit, store, or modify personally identifiable information (e.g. electronic Protected Health Information (ePHI))?	—			
MPII-2	Does the device maintain personally identifiable information?	—			
MPII-2.1	Does the device maintain personally identifiable information temporarily in volatile memory (i.e., until cleared by power-off or reset)?	—			
MPII-2.2	Does the device store personally identifiable information persistently on internal media?	—			
MPII-2.3	Is personally identifiable information preserved in the device's non-volatile memory until explicitly erased?	—			
MPII-2.4	Does the device store personally identifiable information in a database?	—			

Can this device display, transmit, store, or modify personally identifiable information (e.g. electronic Protected Health Information (ePHI))?  
—  
Does the device maintain personally identifiable information?  
—  
Does the device maintain personally identifiable information temporarily in volatile memory (i.e., until cleared by power-off or reset)?  
—  
Does the device store personally identifiable information persistently on internal media?  
—  
Is personally identifiable information preserved in the device's non-volatile memory until explicitly erased?  
—  
Does the device store personally identifiable information in a database?  
—

Canon Medical  
Informatics  
Incorporated

Vitreia Connection 9.2

2023.08.002

July 11, 2024

MPII-2.5	Does the device allow configuration to automatically delete local personally identifiable information after it is stored to a long term solution?	No	—	AR-2	A.15.1.4
MPII-2.6	Does the device import/export personally identifiable information with other systems (e.g., a wearable monitoring device might export personally identifiable information to a server)?	Yes	—	AR-2	A.15.1.4
MPII-2.7	Does the device maintain personally identifiable information when powered off, or during power service interruptions?	Yes	—	AR-2	A.15.1.4
MPII-2.8	Does the device allow the internal media to be removed by a service technician (e.g., for separate destruction or customer retention)?	Yes	—		
MPII-2.9	Does the device allow personally identifiable information records be stored in a separate location from the device's operating system (i.e. secondary internal drive, alternate drive partition, or remote storage location)?	Yes	—	AR-2	A.15.1.4
MPII-3	Does the device have mechanisms used for the transmitting, importing/exporting of personally identifiable information?	Yes	—	AR-2	A.15.1.4
MPII-3.1	Does the device display personally identifiable information (e.g., video display, etc.)?	Yes	—	AR-2	A.15.1.4
MPII-3.2	Does the device generate hardcopy reports or images containing personally identifiable information?	No	—	AR-2	A.15.1.4
MPII-3.3	Does the device retrieve personally identifiable information from or record personally identifiable information to removable media (e.g., removable-HDD, USB memory, DVD-R/RW, CD-R/RW, tape, CF/SD card, memory stick, etc.)?	No	—	AR-2	A.15.1.4
MPII-3.4	Does the device transmit/receive or import/export personally identifiable information via dedicated cable connection (e.g., RS-232, RS-423, USB, FireWire, etc.)?	No	—	AR-2	A.15.1.4
MPII-3.5	Does the device transmit/receive personally identifiable information via a wired network connection (e.g., RJ45, fiber optic, etc.)?	Yes	—	AR-2	A.15.1.4
MPII-3.6	Does the device transmit/receive personally identifiable information via a wireless network connection (e.g., WiFi, Bluetooth, NFC, infrared, cellular, etc.)?	See Notes	Inherited from customer network configuration	AR-2	A.15.1.4
MPII-3.7	Does the device transmit/receive personally identifiable information over an external network (e.g., Internet)?	See Notes	Inherited from customer network configuration	AR-2	A.15.1.4
MPII-3.8	Does the device import personally identifiable information via scanning a document?	No			
MPII-3.9	Does the device transmit/receive personally identifiable information via a proprietary protocol?	Yes			
MPII-3.10	Does the device use any other mechanism to transmit, import or export personally identifiable information?	See Notes	Private data can be imported and exported to local disk through a web browser	AR-2	A.15.1.4
Management of Private Data notes:					

**AUTOMATIC LOGOFF (ALOF)**

*The device's ability to prevent access and misuse by unauthorized users if device is left idle for a period of time.*

ALOF-1	Can the device be configured to force reauthorization of logged-in user(s) after a predetermined length of inactivity (e.g., auto-logoff, session lock, password protected screen saver)?	Yes	—	Section 5.1, ALOF	AC-12	None
ALOF-2	Is the length of inactivity time before auto-logoff/screen lock user or administrator configurable?	Yes	Configurable	Section 5.1, ALOF	AC-11	A.11.2.8, A.11.2.9

IEC TR 80001-2-2:2012

NIST SP 800-53 Rev. 4

ISO 27002:2013

Canon Medical  
Informatics  
Incorporated Vitrea Connection 9.2 2023.08.002 July 11, 2024

<b>AUDIT CONTROLS (AUDT)</b> <i>The ability to reliably audit activity on the device.</i>			<b>IEC TR 80001-2-2:2012</b>	<b>NIST SP 800-53 Rev. 4</b>	<b>ISO 27002:2013</b>	
AUDT-1	Can the medical device create additional audit logs or reports beyond standard operating system logs?	Yes	Both the requesting user's ID and IP are captured by the devices audit record. For more information, please see the Vitrea Connection Admin Tools Guide.  The MRN of the patient's record (as provided by the healthcare provider) may also be present based on the event type. For more information, please see the Vitrea Connection Admin Tools Guide.	Section 5.2, AUDT	AU-1	A.5.1.1, A.5.1.2, A.6.1.1, A.12.1.1, A.18.1.1, A.18.2.2
AUDT-1.1	Does the audit log record a USER ID?	Yes		Section 5.2, AUDT	AU-2	None
AUDT-1.2	Does other personally identifiable information exist in the audit trail?	Yes		Section 5.2, AUDT	AU-2	None
AUDT-2	Are events recorded in an audit log? If yes, indicate which of the following events are recorded in the audit log:	Yes		Section 5.2, AUDT	AU-2	None
AUDT-2.1	Successful login/logout attempts?	Yes		Section 5.2, AUDT	AU-2	None
AUDT-2.2	Unsuccessful login/logout attempts?	Yes		Section 5.2, AUDT	AU-2	None
AUDT-2.3	Modification of user privileges?	No		Section 5.2, AUDT	AU-2	None
AUDT-2.4	Creation/modification/deletion of users?	No		Section 5.2, AUDT	AU-2	None
AUDT-2.5	Presentation of clinical or PII data (e.g. display, print)?	Yes		Section 5.2, AUDT	AU-2	None
AUDT-2.6	Creation/modification/deletion of data?	Yes		Section 5.2, AUDT	AU-2	None
AUDT-2.7	Import/export of data from removable media (e.g. USB drive, external hard drive, DVD)?	N/A	Section 5.2, AUDT	AU-2	None	
AUDT-2.8	Receipt/transmission of data or commands over a network or point-to-point connection?	Yes	Section 5.2, AUDT	AU-2	None	
AUDT-2.8.1	Remote or on-site support?	No	Section 5.2, AUDT	AU-2	None	
AUDT-2.8.2	Application Programming Interface (API) and similar activity?	Yes	Section 5.2, AUDT	AU-2	None	
AUDT-2.9	Emergency access?	Yes	"Break the glass" events are audited	Section 5.2, AUDT	AU-2	None
AUDT-2.10	Other events (e.g., software updates)?	No	Section 5.2, AUDT	AU-2	None	
AUDT-2.11	Is the audit capability documented in more detail?	Yes	Section 5.2, AUDT	AU-2	None	
AUDT-3	Can the owner/operator define or select which events are recorded in the audit log?	No	Section 5.2, AUDT	AU-2	None	
AUDT-4	Is a list of data attributes that are captured in the audit log for an event available?	Yes	Audit event format is defined and documented.	Section 5.2, AUDT	AU-2	None
AUDT-4.1	Does the audit log record date/time?	Yes	Section 5.2, AUDT	AU-2	None	
AUDT-4.1.1	Can date and time be synchronized by Network Time Protocol (NTP) or equivalent time source?	Yes	Uses system time, which can be synched at the OS level	Section 5.2, AUDT	AU-2	None
AUDT-5	Can audit log content be exported?	Yes	Section 5.2, AUDT	AU-2	None	
AUDT-5.1	Via physical media?	No				
AUDT-5.2	Via IHE Audit Trail and Node Authentication (ATNA) profile to SIEM?	Yes				
AUDT-5.3	Via Other communications (e.g., external service device, mobile applications)?	No				
AUDT-5.4	Are audit logs encrypted in transit or on storage media?	Yes	Depends on customer configuration (TLS is optional)			
AUDT-6	Can audit logs be monitored/reviewed by owner/operator?	Yes				
AUDT-7	Are audit logs protected from modification?	Yes		Section 5.2, AUDT	AU-2	None
AUDT-7.1	Are audit logs protected from access?	Yes				
AUDT-8	Can audit logs be analyzed by the device?	No	Audit logs are stored in a raw format and must be manually reviewed by a user.	Section 5.2, AUDT	AU-2	None
<b>AUTHORIZATION (AUTH)</b> <i>The ability of the device to determine the authorization of users.</i>			<b>IEC TR 80001-2-2:2012</b>	<b>NIST SP 800-53 Rev. 4</b>	<b>ISO 27002:2013</b>	
AUTH-1	Does the device prevent access to unauthorized users through user login requirements or other mechanism?	Yes	—	Section 5.3, AUTH	IA-2	A.9.2.1
AUTH-1.1	Can the device be configured to use federated credentials management of users for authorization (e.g., LDAP, OAuth)?	Yes	—	Section 5.3, AUTH	IA-2	A.9.2.1

Canon Medical Informatics Incorporated Vitrea Connection 9.2 2023.08.002 July 11, 2024

AUTH-1.2	Can the customer push group policies to the device (e.g., Active Directory)?	No	The device runs on the Linux OS.	Section 5.3, AUTH	IA-2	A.9.2.1
AUTH-1.3	Are any special groups, organizational units, or group policies required?	No	—	Section 5.3, AUTH	IA-2	A.9.2.1
AUTH-2	Can users be assigned different privilege levels based on 'role' (e.g., user, administrator, and/or service, etc.)?	Yes	—	Section 5.3, AUTH	IA-2	A.9.2.1
AUTH-3	Can the device owner/operator grant themselves unrestricted administrative privileges (e.g., access operating system or application via local root or administrator account)?	Yes	—	Section 5.3, AUTH	IA-2	A.9.2.1
AUTH-4	Does the device authorize or control all API access requests?	Yes	—	Section 5.3, AUTH	IA-2	A.9.2.1
AUTH-5	Does the device run in a restricted access mode, or 'kiosk mode', by default?	No	—			

**CYBER SECURITY PRODUCT UPGRADES (CSUP)**

*The ability of on-site service staff, remote service staff, or authorized customer staff to install/upgrade device's security patches.*

IEC TR 80001-2-2:2012

NIST SP 800-53 Rev. 4

ISO 27002:2013

CSUP-1	Does the device contain any software or firmware which may require security updates during its operational life, either from the device manufacturer or from a third-party manufacturer of the software/firmware? If no, answer "N/A" to questions in this section.	Yes	The device ships with a set of integrated software platform packages that are reviewed and updated at each release gate by the vendor. The customer however retains the responsibility of updating the operating system and underlying infrastructure in accordance with their information security policies.			
CSUP-2	Does the device contain an Operating System? If yes, complete 2.1-2.4.	Yes	—			
CSUP-2.1	Does the device documentation provide instructions for owner/operator installation of patches or software updates?	Yes	—			
CSUP-2.2	Does the device require vendor or vendor-authorized service to install patches or software updates?	Yes	—			
CSUP-2.3	Does the device have the capability to receive remote installation of patches or software updates?	Yes	—			
CSUP-2.4	Does the medical device manufacturer allow security updates from any third-party manufacturers (e.g., Microsoft) to be installed without approval from the manufacturer?	No	—			
CSUP-3	Does the device contain Drivers and Firmware? If yes, complete 3.1-3.4.	No	—			
CSUP-3.1	Does the device documentation provide instructions for owner/operator installation of patches or software updates?	N/A	—			
CSUP-3.2	Does the device require vendor or vendor-authorized service to install patches or software updates?	N/A	—			
CSUP-3.3	Does the device have the capability to receive remote installation of patches or software updates?	N/A	—			
CSUP-3.4	Does the medical device manufacturer allow security updates from any third-party manufacturers (e.g., Microsoft) to be installed without approval from the manufacturer?	N/A	—			
CSUP-4	Does the device contain Anti-Malware Software? If yes, complete 4.1-4.4.	No	While the device does not contain anti-malware software, the customer is free to install their own.			
CSUP-4.1	Does the device documentation provide instructions for owner/operator installation of patches or software updates?	N/A	—			
CSUP-4.2	Does the device require vendor or vendor-authorized service to install patches or software updates?	N/A	—			
CSUP-4.3	Does the device have the capability to receive remote installation of patches or software updates?	N/A	—			

Canon Medical  
Informatics  
Incorporated

Vitrex Connection 9.2

2023.08.002

July 11, 2024

CSUP-4.4	Does the medical device manufacturer allow security updates from any third-party manufacturers (e.g., Microsoft) to be installed without approval from the manufacturer?	N/A	—			
CSUP-5	Does the device contain Non-Operating System commercial off-the-shelf components? If yes, complete 5.1-5.4.	Yes	—			
CSUP-5.1	Does the device documentation provide instructions for owner/operator installation of patches or software updates?	Yes	—			
CSUP-5.2	Does the device require vendor or vendor-authorized service to install patches or software updates?	Yes	—			
CSUP-5.3	Does the device have the capability to receive remote installation of patches or software updates?	Yes	—			
CSUP-5.4	Does the medical device manufacturer allow security updates from any third-party manufacturers (e.g., Microsoft) to be installed without approval from the manufacturer?	No	—			
CSUP-6	Does the device contain other software components (e.g., asset management software, license management)? If yes, please provide details or reference in notes and complete 6.1-6.4.	No	—			
CSUP-6.1	Does the device documentation provide instructions for owner/operator installation of patches or software updates?	N/A	—			
CSUP-6.2	Does the device require vendor or vendor-authorized service to install patches or software updates?	N/A	—			
CSUP-6.3	Does the device have the capability to receive remote installation of patches or software updates?	N/A	—			
CSUP-6.4	Does the medical device manufacturer allow security updates from any third-party manufacturers (e.g., Microsoft) to be installed without approval from the manufacturer?	N/A	—			
CSUP-7	Does the manufacturer notify the customer when updates are approved for installation?	Yes	—			
CSUP-8	Does the device perform automatic installation of software updates?	No	—			
CSUP-9	Does the manufacturer have an approved list of third-party software that can be installed on the device?	Yes	—	An archive of approved 3rd party software libraries is distributed with each release.		
CSUP-10	Can the owner/operator install manufacturer-approved third-party software on the device themselves?	No	—			
CSUP-10.1	Does the system have mechanism in place to prevent installation of unapproved software?	Yes	—	Customers do not typically have root access.		
CSUP-11	Does the manufacturer have a process in place to assess device vulnerabilities and updates?	Yes	—			
CSUP-11.1	Does the manufacturer provide customers with review and approval status of updates?	No	—			
CSUP-11.2	Is there an update review cycle for the device?	No	—			

**HEALTH DATA DE-IDENTIFICATION (DIDT)**

*The ability of the device to directly remove information that allows identification of a person.*

DIDT-1	Does the device provide an integral capability to de-identify personally identifiable information?	Yes	—
DIDT-1.1	Does the device support de-identification profiles that comply with the DICOM standard for de-identification?	No	—

IEC TR 80001-2-2:2012

NIST SP 800-53 Rev. 4

ISO 27002:2013

Section 5.6, DIDT

None

ISO 27038

Section 5.6, DIDT

None

ISO 27038

**DATA BACKUP AND DISASTER RECOVERY (DTBK)**

IEC TR 80001-2-2:2012

NIST SP 800-53 Rev. 4

ISO 27002:2013

Canon Medical  
Informatics  
Incorporated

Vitrex Connection 9.2

2023.08.002

July 11, 2024

*The ability to recover after damage or destruction of device data, hardware, software, or site configuration information.*

DTBK-1	Does the device maintain long term primary storage of personally identifiable information / patient information (e.g. PACS)?	Yes	—			
DTBK-2	Does the device have a “factory reset” function to restore the original device settings as provided by the manufacturer?	No	—	Section 5.7, DTBK	CP-9	A.12.3.1
DTBK-3	Does the device have an integral data backup capability to removable media?	No	—	Section 5.7, DTBK	CP-9	A.12.3.1
DTBK-4	Does the device have an integral data backup capability to remote storage?	Yes	—			
DTBK-5	Does the device have a backup capability for system configuration information, patch restoration, and software restoration?	Yes	—			
DTBK-6	Does the device provide the capability to check the integrity and authenticity of a backup?	No	—	Section 5.7, DTBK	CP-9	A.12.3.1

**EMERGENCY ACCESS (EMRG)**

*The ability of the device user to access personally identifiable information in case of a medical emergency situation that requires immediate access to stored personally identifiable information.*

EMRG-1	Does the device incorporate an emergency access (i.e. “break-glass”) feature?	Yes	—	Section 5.8, EMRG	SI-17	None
--------	---	-----	---	-------------------	-------	------

**HEALTH DATA INTEGRITY AND AUTHENTICITY (IGAU)**

*How the device ensures that the stored data on the device has not been altered or destroyed in a non-authorized manner and is from the originator.*

IGAU-1	Does the device provide data integrity checking mechanisms of stored health data (e.g., hash or digital signature)?	No	—	Section 5.9, IGAU	SC-28	A.18.1.3
IGAU-2	Does the device provide error/failure protection and recovery mechanisms for stored health data (e.g., RAID-5)?	See Notes	Storage configuration is inherited from the customer.	Section 5.9, IGAU	SC-28	A.18.1.3

**MALWARE DETECTION/PROTECTION (MLDP)**

*The ability of the device to effectively prevent, detect and remove malicious software (malware).*

MLDP-1	Is the device capable of hosting executable software?	Yes	Being that the device is hardened as part of its deployment, we do not typically recommend the installation of additional executables. The customer however is able to install and manage additional executables in accordance with their own internal information security practices.	Section 5.10, MLDP		
MLDP-2	Does the device support the use of anti-malware software (or other anti-malware mechanism)? Provide details or reference in notes.	Yes	Examples of anti-malware applications supported include those listed here: <a href="https://www.redhat.com/sysadmin/3-antimalware-solutions">https://www.redhat.com/sysadmin/3-antimalware-solutions</a>	Section 5.10, MLDP	SI-3	A.12.2.1
MLDP-2.1	Does the device include anti-malware software by default?	N/A	—	Section 5.10, MLDP	CM-5	A.9.2.3, A.9.4.5, A.12.1.2, A.12.1.4, A.12.5.1
MLDP-2.2	Does the device have anti-malware software available as an option?	N/A	—	Section 5.10, MLDP	AU-6	A.12.4.1, A.16.1.2, A.16.1.4
MLDP-2.3	Does the device documentation allow the owner/operator to install or update anti-malware software?	N/A	—	Section 5.10, MLDP	CP-10	A.17.1.2

Canon Medical  
Informatics  
Incorporated

Vitrea Connection 9.2

2023.08.002

July 11, 2024

MLDP-2.4	Can the device owner/operator independently (re-)configure anti-malware settings?	N/A	—	Section 5.10, MLDP	AU-2	None
MLDP-2.5	Does notification of malware detection occur in the device user interface?	N/A				
MLDP-2.6	Can only manufacturer-authorized persons repair systems when malware has been detected?	Yes				
MLDP-2.7	Are malware notifications written to a log?	N/A				
MLDP-2.8	Are there any restrictions on anti-malware (e.g., purchase, installation, configuration, scheduling)?	Yes	The device does not install of otherwise control malware software.			
MLDP-3	If the answer to MLDP-2 is NO, and anti-malware cannot be installed on the device, are other compensating controls in place or available?	No	Device uses a Linux-based operating system.	Section 5.10, MLDP	SI-2	A.12.6.1, A.14.2.2, A.14.2.3, A.16.1.3
MLDP-4	Does the device employ application whitelisting that restricts the software and services that are permitted to be run on the device?	No	—	Section 5.10, MLDP	SI-3	A.12.2.1
MLDP-5	Does the device employ a host-based intrusion detection/prevention system?	Yes	Device uses denyhosts	Section 5.10, MLDP	SI-4	None
MLDP-5.1	Can the host-based intrusion detection/prevention system be configured by the customer?	No	—	Section 5.10, MLDP	CM-7	A.12.5.1
MLDP-5.2	Can a host-based intrusion detection/prevention system be installed by the customer?	See Notes	Customer could install their own system in passive mode only.	Section 5.10, MLDP		
<b>NODE AUTHENTICATION (NAUT)</b> <i>The ability of the device to authenticate communication partners/nodes.</i>				<b>IEC TR 80001-2-2:2012</b>	<b>NIST SP 800-53 Rev. 4</b>	<b>ISO 27002:2013</b>
NAUT-1	Does the device provide/support any means of node authentication that assures both the sender and the recipient of data are known to each other and are authorized to receive transferred information (e.g. Web APIs, SMTP, SNMP)?	Yes	—	Section 5.11, NAUT	SC-23	None
NAUT-2	Are network access control mechanisms supported (E.g., does the device have an internal firewall, or use a network connection white list)?	Yes	—	Section 5.11, NAUT	SC-7	A.13.1.1, A.13.1.3, A.13.2.1, A.14.1.3
NAUT-2.1	Is the firewall ruleset documented and available for review?	Yes	—			
NAUT-3	Does the device use certificate-based network connection authentication?	Yes	—			
<b>CONNECTIVITY CAPABILITIES (CONN)</b> <i>All network and removable media connections must be considered in determining appropriate security controls. This section lists connectivity capabilities that may be present on the device.</i>				<b>IEC TR 80001-2-2:2012</b>	<b>NIST SP 800-53 Rev. 4</b>	<b>ISO 27002:2013</b>
CONN-1	Does the device have hardware connectivity capabilities?	Yes	—			
CONN-1.1	Does the device support wireless connections?	See Notes	Inherited from customer network.			
CONN-1.1.1	Does the device support Wi-Fi?	See Notes	Inherited from customer network.			
CONN-1.1.2	Does the device support Bluetooth?	No	—			
CONN-1.1.3	Does the device support other wireless network connectivity (e.g. LTE, Zigbee, proprietary)?	No	—			
CONN-1.1.4	Does the device support other wireless connections (e.g., custom RF controls, wireless detectors)?	No	—			
CONN-1.2	Does the device support physical connections?	N/A	Device is software only, installed on customer-supplied hardware			
CONN-1.2.1	Does the device have available RJ45 Ethernet ports?	N/A	Device is software only, installed on customer-supplied hardware			
CONN-1.2.2	Does the device have available USB ports?	N/A	Device is software only, installed on customer-supplied hardware			
CONN-1.2.3	Does the device require, use, or support removable memory devices?	N/A	Device is software only, installed on customer-supplied hardware			
CONN-1.2.4	Does the device support other physical connectivity?	N/A	—			

Canon Medical  
Informatics  
Incorporated Vitrea Connection 9.2 2023.08.002 July 11, 2024

CONN-2	Does the manufacturer provide a list of network ports and protocols that are used or may be used on the device?	Yes	—
CONN-3	Can the device communicate with other systems within the customer environment?	Yes	—
CONN-4	Can the device communicate with other systems external to the customer environment (e.g., a service host)?	Yes	—
CONN-5	Does the device make or receive API calls?	Yes	—
CONN-6	Does the device require an internet connection for its intended use?	See Notes	Minimally, to facilitate remote support activity.
CONN-7	Does the device support Transport Layer Security (TLS)?	Yes	—
CONN-7.1	Is TLS configurable?	Yes	—
CONN-8	Does the device provide operator control functionality from a separate device (e.g., telemedicine)?	See Notes	Device provides a web-based UI that is accessed from a customer-provided workstation.

**PERSON AUTHENTICATION (PAUT)**

*The ability to configure the device to authenticate users.*

PAUT-1	Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?	See Notes	Device supports unique administration accounts and shared accounts are not recommended.
PAUT-1.1	Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?	Yes	—
PAUT-2	Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?	Yes	—
PAUT-3	Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?	See Notes	If desired, managed through external authentication service
PAUT-4	Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?	Yes	—
PAUT-5	Can all passwords be changed?	Yes	—
PAUT-6	Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?	See Notes	If desired, managed through external authentication service
PAUT-7	Does the device support account passwords that expire periodically?	See Notes	If desired, managed through external authentication service
PAUT-8	Does the device support multi-factor authentication?	No	—
PAUT-9	Does the device support single sign-on (SSO)?	No	—
PAUT-10	Can user accounts be disabled/locked on the device?	See Notes	Managed through external authentication service
PAUT-11	Does the device support biometric controls?	No	—
PAUT-12	Does the device support physical tokens (e.g. badge access)?	No	—
PAUT-13	Does the device support group authentication (e.g. hospital teams)?	No	—
PAUT-14	Does the application or device store or manage authentication credentials?	See Notes	If LDAP is not used.
PAUT-14.1	Are credentials stored using a secure method?	See Notes	If LDAP is not used, credentials are encrypted.

**IEC TR 80001-2-2:2012**

**NIST SP 800-53 Rev. 4**

**ISO 27002:2013**

Section 5.12, PAUT	IA-2	A.9.2.1
Section 5.12, PAUT	IA-2	A.9.2.1
Section 5.12, PAUT	IA-5	A.9.2.1
Section 5.12, PAUT	IA-2	A.9.2.1
Section 5.12, PAUT Section 5.12, PAUT	SA-4(5)	A.14.1.1, A.14.2.7, A.14.2.9, A.15.1.2
Section 5.12, PAUT	IA-2	A.9.2.1
Section 5.12, PAUT	IA-2	A.9.2.1
Section 5.12, PAUT	IA-2	A.9.2.1

**PHYSICAL LOCKS (PLOK)**

*Physical locks can prevent unauthorized users with physical access to the device from compromising the integrity and confidentiality of personally identifiable information stored on the device or on removable media*

PLOK-1	Is the device software only? If yes, answer "N/A" to remaining questions in this section.	Yes	—
--------	---	-----	---

**IEC TR 80001-2-2:2012**

**NIST SP 800-53 Rev. 4**

**ISO 27002:2013**

Section 5.13, PLOK	PE-3(4)	A.11.1.1, A.11.1.2, A.11.1.3
--------------------	---------	------------------------------



Canon Medical  
Informatics  
Incorporated

Vitrexa Connection 9.2

2023.08.002

July 11, 2024

PLOK-2	Are all device components maintaining personally identifiable information (other than removable media) physically secure (i.e., cannot remove without tools)?	N/A	—	Section 5.13, PLOK	PE-3(4)	A.11.1.1, A.11.1.2, A.11.1.3
PLOK-3	Are all device components maintaining personally identifiable information (other than removable media) physically secured behind an individually keyed locking device?	N/A	—	Section 5.13, PLOK	PE-3(4)	A.11.1.1, A.11.1.2, A.11.1.3
PLOK-4	Does the device have an option for the customer to attach a physical lock to restrict access to removable media?	N/A	—	Section 5.13, PLOK	PE-3(4)	A.11.1.1, A.11.1.2, A.11.1.3

**ROADMAP FOR THIRD PARTY COMPONENTS IN DEVICE LIFE CYCLE (RDMP)**

*Manufacturer's plans for security support of third-party components within the device's life cycle.*

Was a secure software development process, such as ISO/IEC 27034 or IEC 62304, followed during product development?

RDMP-1	Was a secure software development process, such as ISO/IEC 27034 or IEC 62304, followed during product development?	Yes	IEC62304	Section 5.14, RDMP	CM-2	None
RDMP-2	Does the manufacturer evaluate third-party applications and software components included in the device for secure development practices?	Yes	—	Section 5.14, RDMP	CM-8	A.8.1.1, A.8.1.2
RDMP-3	Does the manufacturer maintain a web page or other source of information on software support dates and updates?	Yes	—	Section 5.14, RDMP	CM-8	A.8.1.1, A.8.1.2
RDMP-4	Does the manufacturer have a plan for managing third-party component end-of-life?	No	—	Section 5.14, RDMP	CM-8	A.8.1.1, A.8.1.2

IEC TR 80001-2-2:2012

NIST SP 800-53 Rev. 4

ISO 27002:2013

**SOFTWARE BILL OF MATERIALS (SBoM)**

*A Software Bill of Material (SBoM) lists all the software components that are incorporated into the device being described for the purpose of operational security planning by the healthcare delivery organization. This section supports controls in the RDMP section.*

SBOM-1	Is the SBoM for this product available?	Yes	—			
SBOM-2	Does the SBoM follow a standard or common method in describing software components?	Yes	—			
SBOM-2.1	Are the software components identified?	Yes	—			
SBOM-2.2	Are the developers/manufacturers of the software components identified?	Yes	—			
SBOM-2.3	Are the major version numbers of the software components identified?	Yes	—			
SBOM-2.4	Are any additional descriptive elements identified?	Yes	—			
SBOM-3	Does the device include a command or process method available to generate a list of software components installed on the device?	No	—			
SBOM-4	Is there an update process for the SBoM?	Yes	—			

IEC TR 80001-2-2:2012

NIST SP 800-53 Rev. 4

ISO 27002:2013

**SYSTEM AND APPLICATION HARDENING (SAHD)**

*The device's inherent resistance to cyber attacks and malware.*

SAHD-1	Is the device hardened in accordance with any industry standards?	No	—	Section 5.15, SAHD	AC-17(2)/IA-3	A.12.5.1* A.6.2.1, A.6.2.2, A.13.1.1, A.13.2.1, A.14.1.2/None
SAHD-2	Has the device received any cybersecurity certifications?	No	—	Section 5.15, SAHD	SA-12(10)	A.14.2.7, A.15.1.1, A.15.1.2, A.15.1.3
SAHD-3	Does the device employ any mechanisms for software integrity checking	No	—			

IEC TR 80001-2-2:2012

NIST SP 800-53 Rev. 4

ISO 27002:2013

Canon Medical  
Informatics  
Incorporated

Vitrex Connection 9.2

2023.08.002

July 11, 2024

SAHD-3.1	Does the device employ any mechanism (e.g., release-specific hash key, checksums, digital signature, etc.) to ensure the installed software is manufacturer-authorized?	No	—			
SAHD-3.2	Does the device employ any mechanism (e.g., release-specific hash key, checksums, digital signature, etc.) to ensure the software updates are the manufacturer-authorized updates?	No	Updates are downloaded from a controlled repository by an administrator and are not applied automatically	Section 5.15, SAHD	CM-8	A.8.1.1, A.8.1.2
SAHD-4	Can the owner/operator perform software integrity checks (i.e., verify that the system has not been modified or tampered with)?	No	The customer supplies their own means of verifying platform integrity (eg. file monitoring etc).	Section 5.15, SAHD	AC-3	A.6.2.2, A.9.1.2, A.9.4.1, A.9.4.4, A.9.4.5, A.13.1.1, A.14.1.2, A.14.1.3, A.18.1.3
SAHD-5	Is the system configurable to allow the implementation of file-level, patient level, or other types of access controls?	Yes	—	Section 5.15, SAHD	CM-7	A.12.5.1*
SAHD-5.1	Does the device provide role-based access controls?	No	Granular access controls are present but are applied on a user-by-user basis.	Section 5.15, SAHD	CM-7	A.12.5.1*
SAHD-6	Are any system or user accounts restricted or disabled by the manufacturer at system delivery?	Yes	—	Section 5.15, SAHD	CM-8	A.8.1.1, A.8.1.2
SAHD-6.1	Are any system or user accounts configurable by the end user after initial configuration?	Yes	—	Section 5.15, SAHD	CM-7	A.12.5.1*
SAHD-6.2	Does this include restricting certain system or user accounts, such as service technicians, to least privileged access?	Yes	—	Section 5.15, SAHD	CM-7	A.12.5.1*
SAHD-7	Are all shared resources (e.g., file shares) which are not required for the intended use of the device disabled?	Yes	—	Section 5.15, SAHD	CM-7	A.12.5.1*
SAHD-8	Are all communication ports and protocols that are not required for the intended use of the device disabled?	Yes	—	Section 5.15, SAHD	SA-18	None
SAHD-9	Are all services (e.g., telnet, file transfer protocol [FTP], internet information server [IIS], etc.), which are not required for the intended use of the device deleted/disabled?	Yes	—	Section 5.15, SAHD	CM-6	None
SAHD-10	Are all applications (COTS applications as well as OS-included applications, e.g., MS Internet Explorer, etc.) which are not required for the intended use of the device deleted/disabled?	Yes	—	Section 5.15, SAHD	SI-2	A.12.6.1, A.14.2.2, A.14.2.3, A.16.1.3
SAHD-11	Can the device prohibit boot from uncontrolled or removable media (i.e., a source other than an internal drive or memory component)?	N/A	This is inherited from the customer-supplied hardware configuration.			
SAHD-12	Can unauthorized software or hardware be installed on the device without the use of physical tools?	N/A	This is inherited from the customer-supplied hardware configuration.			
SAHD-13	Does the product documentation include information on operational network security scanning by users?	No	—			
SAHD-14	Can the device be hardened beyond the default provided state?	Yes	—			
SAHD-14.1	Are instructions available from vendor for increased hardening?	Yes	—			
SHAD-15	Can the system prevent access to BIOS or other bootloaders during boot?	N/A	This is inherited from the customer-supplied hardware configuration.			
SAHD-16	Have additional hardening methods not included in 2.3.19 been used to harden the device?	No	—			

**SECURITY GUIDANCE (SGUD)**

*Availability of security guidance for operator and administrator of the device and manufacturer sales and service.*

				IEC TR 80001-2-2:2012	NIST SP 800-53 Rev. 4	ISO 27002:2013
SGUD-1	Does the device include security documentation for the owner/operator?	Yes	—	Section 5.16, SGUD	AT-2/PL-2	A.7.2.2, A.12.2.1/A.14.1.1
SGUD-2	Does the device have the capability, and provide instructions, for the permanent deletion of data from the device or media?	Yes	—	Section 5.16, SGUD	MP-6	A.8.2.3, A.8.3.1, A.8.3.2, A.11.2.7

Canon Medical Informatics Incorporated Vitrea Connection 9.2 2023.08.002 July 11, 2024

SGUD-3	Are all access accounts documented?	Yes	—	Section 5.16, SGUD	AC-6,IA-2	A.9.1.2, A.9.2.3, A.9.4.4, A.9.4.5/A.9.2.1
SGUD-3.1	Can the owner/operator manage password control for all accounts?	Yes	—			
SGUD-4	Does the product include documentation on recommended compensating controls for the device?	No	—			

**HEALTH DATA STORAGE CONFIDENTIALITY (STCF)**

*The ability of the device to ensure unauthorized access does not compromise the integrity and confidentiality of personally identifiable information stored on the device or removable media.*

**IEC TR 80001-2-2:2012 NIST SP 800-53 Rev. 4 ISO 27002:2013**

STCF-1	Can the device encrypt data at rest?	N/A	Inherited from the customer's infrastructure which may provide some flavour of full disk or object storage encryption that is transparent to the application.	Section 5.17, STCF	SC-28	A.8.2.3
STCF-1.1	Is all data encrypted or otherwise protected?	N/A				
STCF-1.2	Is the data encryption capability configured by default?	N/A				
STCF-1.3	Are instructions available to the customer to configure encryption?	N/A				
STCF-2	Can the encryption keys be changed or configured?	N/A		Section 5.17, STCF	SC-28	A.8.2.3
STCF-3	Is the data stored in a database located on the device?	Yes	—			
STCF-4	Is the data stored in a database external to the device?	See Notes	Device always maintains an internal database; in certain configurations can also store to external databases			

**TRANSMISSION CONFIDENTIALITY (TXCF)**

*The ability of the device to ensure the confidentiality of transmitted personally identifiable information.*

**IEC TR 80001-2-2:2012 NIST SP 800-53 Rev. 4 ISO 27002:2013**

TXCF-1	Can personally identifiable information be transmitted only via a point-to-point dedicated cable?	No	Device is networked as part of normal operation.	Section 5.18, TXCF	CM-7	A.12.5.1
TXCF-2	Is personally identifiable information encrypted prior to transmission via a network or removable media?	See Notes	TLS is recommended but not required.	Section 5.18, TXCF	CM-7	A.12.5.1
TXCF-2.1	If data is not encrypted by default, can the customer configure encryption options?	Yes	—			
TXCF-3	Is personally identifiable information transmission restricted to a fixed list of network destinations?	Yes	Fixed list can be updated by customers. Client authentication through TLS is recommended but not required.	Section 5.18, TXCF	CM-7	A.12.5.1
TXCF-4	Are connections limited to authenticated systems?	See Notes		Section 5.18, TXCF	CM-7	A.12.5.1
TXCF-5	Are secure transmission methods supported/implemented (DICOM, HL7, IEEE 11073)?	See Notes	TLS is recommended but not required.			

**TRANSMISSION INTEGRITY (TXIG)**

*The ability of the device to ensure the integrity of transmitted data.*

**IEC TR 80001-2-2:2012 NIST SP 800-53 Rev. 4 ISO 27002:2013**

TXIG-1	Does the device support any mechanism (e.g., digital signatures) intended to ensure data is not modified during transmission?	Yes		Section 5.19, TXIG	SC-8	A.8.2.3, A.13.1.1, A.13.2.1, A.13.2.3, A.14.1.2, A.14.1.3
TXIG-2	Does the device include multiple sub-components connected by external cables?	N/A	Device is software-only. Hardware configuration is inherited from the customer.			

	<b>REMOTE SERVICE (RMOT)</b>			<b>IEC TR 80001-2-2:2012</b>	<b>NIST SP 800-53 Rev. 4</b>	<b>ISO 27002:2013</b>
	<i>Remote service refers to all kinds of device maintenance activities performed by a service person via network or other remote connection.</i>					
RMOT-1	Does the device permit remote service connections for device analysis or repair?	Yes	—		AC-17	A.6.2.1, A.6.2.2, A.13.1.1, A.13.2.1, A.14.1.2

Canon Medical  
Informatics  
Incorporated

Vitrexa Connection 9.2

2023.08.002

July 11, 2024

RMOT-1.1	Does the device allow the owner/operator to initiate remote service sessions for device analysis or repair?	No	Remote service can be performed by authorized manufacturer representatives as needed.				
RMOT-1.2	Is there an indicator for an enabled and active remote session?	No		—			
RMOT-1.3	Can patient data be accessed or viewed from the device during the remote session?	Yes		—	AC-17		A.6.2.1, A.6.2.2, A.13.1.1, A.13.2.1, A.14.1.2
RMOT-2	Does the device permit or use remote service connections for predictive maintenance data?	Yes		—			
RMOT-3	Does the device have any other remotely accessible functionality (e.g. software updates, remote training)?	See Notes		Updates are performed manually via remote service representative. Training on UI functionality, etc, may occur via screen-sharing session.			

**OTHER SECURITY CONSIDERATIONS (OTHR)**

NONE

**Notes:**

Note 1

Example note. Please keep individual notes to one cell.  
Please use separate notes for separate information

IEC TR 80001-2-2:2012

NIST SP 800-53 Rev. 4

ISO 27002:2013